

A Novel Neutrosophic Data Analytic Hierarchy Process for Multi-Criteria Decision Making Method: A Case Study in Kuala Lumpur Stock Exchange

Desmond Jun Yi Tey¹, Yee Fei Gan¹, Ganeshsree Selvachandran¹, Shio Gai Quek², Florentin Smarandache³, Le Hoang Son⁴, Mohamed Abdel-Baset⁵, Hoang Viet Long^{6,7*}

¹Department of Actuarial Science and Applied Statistics, Faculty of Business & Information Science, UCSI University, Jalan Menara Gading, 56000 Cheras, Kuala Lumpur, Malaysia teydesmond@gmail.com, yeefei97@gmail.com, ganeshsree86@yahoo.com

²A-Level Academy, UCSI College KL Campus, Lot 12734, Jalan Choo Lip Kung, Taman Taynton View, Cheras 56000, Kuala Lumpur, Malaysia queksg@ucsicollege.edu.my

³Department of Mathematics University of New Mexico, 705 Gurley Avenue, Gallup, NM 87301, USA fsmarandache@gmail.com

⁴VNU Information Technology Institute, Vietnam National University, Hanoi, Vietnam sonlh@vnu.edu.vn

⁵Department of Decision Support, Faculty of computers and informatics, Zagazig, shrkia, Egypt, Mohamed.abdelbaset@fci.zu.edu.eg

⁶Division of Computational Mathematics and Engineering, Institute for Computational Science, Ton Duc Thang University, Ho Chi Minh City, Vietnam;

⁷Faculty of Mathematics and Statistics, Ton Duc Thang University, Ho Chi Minh City, Vietnam hoangvietlong@tdtu.edu.vn

*: Corresponding author: Hoang Viet Long (hoangvietlong@tdtu.edu.vn);

ABSTRACT This paper proposes a multi-criteria decision making method called the neutrosophic data analytical hierarchy process (NDAHP) for the single-valued neutrosophic set (SVNS). This method is an extension of the neutrosophic analytic hierarchy process (NAHP) but was designed to handle actual datasets which consists of crisp values. Our proposed NDAHP method uses an objective weighting mechanism whereas all other existing versions of the AHP, fuzzy AHP and other fuzzy based AHP method in literature such as the NAHP and picture fuzzy AHP uses a subjective weighting mechanism to arrive at the decision. This makes our proposed NDAHP method a very objective one as the weightage of the criteria which forms the input of the evaluation matrix are determined in an objective manner using actual data collected for the problem, and hence will not change according to the opinions of the different decision makers which are subjective. The proposed NDAHP method is applied to a multi-criteria decision making problem related to the ranking of the financial performance of five public listed petrochemical companies trading in the main board of the Kuala Lumpur Stock Exchange (KLSE). Actual dataset of 15 financial indices for the five petrochemical companies for 2017 obtained from Yahoo! Finance were used in this study. Following this, a brief comparative study is conducted to evaluate the performance of our NDAHP algorithm against the results of other existing SVNS based decision making methods in literature. The results are compared against actual results obtained from KLSE. To further verify the rankings obtained through each method, the Spearman and Pearson ranking tests are carried out on each of the decision making methods that are studied. It is proved that our proposed NDAHP method produces the most accurate results, and this was further verified from the results of the Spearman and Pearson ranking tests.

KEYWORDS: Single-valued neutrosophic set; analytic hierarchy process (AHP); multi-criteria decision making; neutrosophic AHP; neutrosophic decision making

1. INTRODUCTION

Fuzzy set theory [1] is an extension of classical set theory which was developed as a tool to deal with the uncertainty and vagueness that exists in most of the situations that we

encounter on a daily basis. Fuzzy sets are characterized by a single membership value which indicates the degree of belongingness of the elements to a set. The fuzzy set model provided solutions when solving problems where the information is imprecise due to the non-sharply determined

method and the IFS model to improve the capability of FAHP without affecting its originality and inherent characteristics. Many researchers have acknowledged the advantages of IFAHP and have applied it in various problems in different areas. Abdullah, Jaafar and Taib [18, 19] studied the ranking of Human Capital Indicators using IFAHP, and evaluated the criteria involved in sustainable energy technology in Malaysia, respectively. Kaur [20] applied IFAHP to evaluate and select the best vendor for a company, while Nguyen [21] employed the IFAHP method to estimate and subsequently eliminate the potential risks faced by a shipping system.

Apart from the above, other fuzzy based AHP methods have been introduced in literature. These include the interval-valued fuzzy analytic hierarchy process (IVFAHP) by Mirzaei [22] and the interval-valued intuitionistic fuzzy analytic hierarchy process (IVIFAHP) by Abdullah and Najib [23]. Mirzaei [22] applied his proposed IVFAHP to select the best cargo terminals for a logistics problem, whereas Fahmi, Derakhshan and Kahraman [24] applied the IVIFAHP to a human resource management problem to select the best candidate for university position. The rapid development in neutrosophic theory led to the introduction of the neutrosophic analytic hierarchy process (NAHP) by Radwan, Senousy and Riad [25] who then applied this method to the selection of the most suitable learning management system for an educational institution.

The remainder of this paper is organized as follows. In Section 2, we recapitulate some of the fundamental concepts related to SVNSs and the NAHP method. In Section 3, we introduce our proposed neutrosophic data analytic hierarchy process (NDAHP) based on the SVNS model. In Section 4, the proposed decision-making method is then applied to a problem related to the evaluation of the performance of a company based on 15 financial parameters. Actual data for the five companies that were studied were obtained from Yahoo! Finance for the year 2017. In Section 5, a comprehensive comparative analysis of the results obtained via our proposed method and other recent SVNS based decision making methods are presented. We further verify the results obtained via our proposed NDAHP method using the Pearson and Spearman rank tests. It is proved that our proposed NDAHP method is more effective and produces more reliable results compared to the other SVNS based decision making method. Concluding remarks are given in Section 6, followed by the acknowledgements and list of references.

2. PRELIMINARIES

In this section, we recapitulate some important concepts pertaining to the theory of SVNSs, and some of the recent developments related to SVNS based decision making. We

refer the readers to [6, 9] for further details pertaining to the NS and SVNS theory, respectively.

The single-valued neutrosophic set (SVNS) model [9] is a special case of the general neutrosophic set where the range of each of the three membership functions are in the standard unit of interval of $[0, 1]$, instead of the non-standard interval of $] -0, 1+[$. The SVNS model is one of the most commonly used versions of the NS model, and a lot of research related to SVNS based decision making can be found in literature [26-44].

The formal definition of the classical NS introduced by Smarandache [6] is given below.

Let U be a universe of discourse, with a class of elements in U denoted by x .

Definition 2.1. [6] A neutrosophic set A is an object having the form $A = \{\langle x, T_A(x), I_A(x), F_A(x) \rangle : x \in U\}$, where the functions $T, I, F : U \rightarrow] -0, 1+[$ denote the truth, indeterminacy, and falsity membership functions, respectively, of the element $x \in U$ with respect to A . The membership functions must satisfy the condition

$$-0 \leq T_A(x) + I_A(x) + F_A(x) \leq 3^+.$$

Definition 2.2. [6] A neutrosophic set A is contained in another neutrosophic set B , if $T_A(x) \leq T_B(x)$, $I_A(x) \geq I_B(x)$, and $F_A(x) \geq F_B(x)$, for all $x \in U$. This relationship is denoted as $A \subseteq B$.

The SVNS [9] is a specific form of the NS with values of the membership functions defined in the standard interval of $[0, 1]$. The formal definition of the SVNS is presented below, and this is followed by the definitions of some of the important concepts and set theoretic operations of the SVNS.

Definition 2.3. [9] A SVNS A is a neutrosophic set that is characterized by a truth-membership function $T_A(x)$, an indeterminacy-membership function $I_A(x)$, and a falsity-membership function $F_A(x)$, where $T_A(x), I_A(x), F_A(x) \in [0, 1]$. This set A can thus be written as

$$A = \{\langle x, T_A(x), I_A(x), F_A(x) \rangle : x \in U\}. \quad (1)$$

The sum of $T_A(x)$, $I_A(x)$ and $F_A(x)$ must fulfill the condition $0 \leq T_A(x) + I_A(x) + F_A(x) \leq 3$. For a SVNS A in U , the triplet $(T_A(x), I_A(x), F_A(x))$ is called a single-valued neutrosophic number (SVNN). For the sake of convenience, we simply let $x = (T_x, I_x, F_x)$ to represent a SVNN as an element in the SVNS A .

Definition 2.4. [9] Let A and B be two SVNSs over a universe U .

- (i) A is contained in B , if $T_A(x) \leq T_B(x), I_A(x) \geq I_B(x)$, and $F_A(x) \geq F_B(x)$, for all $x \in U$. This relationship is denoted as $A \subseteq B$.
- (ii) A and B are said to be equal if $A \subseteq B$ and $B \subseteq A$.
- (iii) $A^c = (x, (F_A(x), 1 - I_A(x), T_A(x)))$, for all $x \in U$.
- (iv) $A \cup B = (x, (\max(T_A, T_B), \min(I_A, I_B), \min(F_A, F_B)))$, for all $x \in U$.
- (v) $A \cap B = (x, (\min(T_A, T_B), \max(I_A, I_B), \max(F_A, F_B)))$, for all $x \in U$.

Definition 2.5. [9] Let $x = (T_x, I_x, F_x)$ and $y = (T_y, I_y, F_y)$ be two SVNNs. The operations for SVNNs can be defined as follows:

- (i) The Hamming distance between A and B are defined as:

$$d_H(A, B) = \sum_{i=1}^n \{|T_A(x_i) - T_B(x_i)| + |I_A(x_i) - I_B(x_i)| + |F_A(x_i) - F_B(x_i)|\} \quad (2)$$

- (ii) The normalized Hamming distance between A and B are defined as:

$$d_H^N(A, B) = \frac{1}{3n} \sum_{i=1}^n \{|T_A(x_i) - T_B(x_i)| + |I_A(x_i) - I_B(x_i)| + |F_A(x_i) - F_B(x_i)|\} \quad (3)$$

- (iii) The Euclidean distance between A and B are defined as:

$$d_E(A, B) = \sqrt{\sum_{i=1}^n \{(T_A(x_i) - T_B(x_i))^2 + (I_A(x_i) - I_B(x_i))^2 + (F_A(x_i) - F_B(x_i))^2\}} \quad (4)$$

- (iv) The normalized Euclidean distance between A and B are defined as:

$$d_E^N(A, B) = \sqrt{\frac{1}{3n} \sum_{i=1}^n \{(T_A(x_i) - T_B(x_i))^2 + (I_A(x_i) - I_B(x_i))^2 + (F_A(x_i) - F_B(x_i))^2\}} \quad (5)$$

3. THE PROPOSED NDAHP METHOD BASED ON SVNS

In this section, we present the decision making algorithm for our proposed neutrosophic data analytic hierarchy process (NDAHP). The important components of our proposed NDAHP method such as the formula for the pairwise comparison step and the formula to convert the crisp data to SVNN are also presented and explained.

Neutrosophic data analytic hierarchy process (NDAHP)

Previous research related to NAHP (Radwan, Senousy & Riad [25], Abdel-Basset, Mohamed and Smarandache [46], and Alava et al. [47]) highlighted the practicality of NAHP by applying it to solve various MCDM problems. However, all of these research only considers experts' opinions which can be very subjective and the importance of a criterion evaluated by an expert may be subverted by actual data. Besides, the experts' may not have consensus with each other, as one expert may not necessarily agree with the importance of a criteria as determined by another expert.

- (i) $x \oplus y = (T_x + T_y - T_x * T_y, I_x * I_y, F_x * F_y)$
- (ii) $x \otimes y = (T_x * T_y, I_x + I_y - I_x * I_y, F_x + F_y - F_x * F_y)$
- (iii) $\lambda x = (1 - (1 - T_x)^\lambda, (I_x)^\lambda, (F_x)^\lambda)$, where $\lambda > 0$
- (iv) $x^\lambda = ((T_x)^\lambda, 1 - (1 - I_x)^\lambda, 1 - (1 - F_x)^\lambda)$, where $\lambda > 0$.

Definition 2.6. [45] Let A and B be two SVNSs over a finite universe $U = \{x_1, x_2, \dots, x_n\}$. Then the various distance measures between A and B are defined as follows:

To overcome this problem, we propose a new AHP method based on the SVNS model called the neutrosophic data analytic hierarchy process (NDAHP). The main difference between our NDAHP method and the NAHP method is that the NDAHP uses actual data to obtain the weightage of the criteria, instead of relying on experts' opinion to obtain the weightage of the criteria. Hence, the results obtained through the NDAHP model will be more accurate as the weightage and importance of each criteria and alternative is determined objectively by using actual datasets. Therefore, our proposed method produces input and output values that better reflect the actual situation as per the law of input argument.

The decision making method for the NDAHP method and the procedure to apply in MCDM problems is described as follows:

Step 1: Construct hierarchical model

The framework of the application need to be constructed in order to give the decision maker a clearer idea about the application. First, the objective need to be determined because

that is important for the decision maker to determine the criteria and alternatives of the problem. Next, the decision maker needs to select the criteria and alternatives that are related to the objective. Involvement of unrelated criteria and alternatives will result in inaccurate results being obtained.



Figure 1: An example of a NDAHP structure

Step 2: Obtain actual datasets for the problem from reliable source(s)

The necessary data need to be exported from reliable and verified source(s). Any datasets sourced from unverified sources may contain wrong information and this will affect the accuracy of the results obtained.

Step 3: Convert crisp data into single-valued neutrosophic numbers (SVNN)

The crisp data needs to be converted into single-valued neutrosophic number (SVNN) using Eq. (6) and (7) that was introduced by Nirmal and Bhatt [48].

Beneficial criteria:

$$R_{ij} = \frac{X_{ij} - \text{Min}X_{ij}}{\text{Max}X_{ij} - \text{Min}X_{ij}} \quad (6)$$

Non-beneficial criteria:

$$R_{ij} = \frac{\text{Max}X_{ij} - X_{ij}}{\text{Max}X_{ij} - \text{Min}X_{ij}} \quad (7)$$

Beneficial criteria refers to criteria which are preferable when the value is higher, for example, revenue and quality. Non-beneficial criteria refers to criteria which are preferable when the value is lower, for example cost and debt.

After obtaining the value of R_{ij} , the corresponding SVNNs are then computed using Eq. (8) and (9) which are also due to Nirmal and Bhatt [48].

Beneficial criteria:

$$(t_p, i_p, f_p) = (R_{ij}, 1 - R_{ij}, 1 - R_{ij}) \quad (8)$$

Non-beneficial criteria:

$$(t_p, i_p, f_p) = (1 - R_{ij}, R_{ij}, R_{ij}) \quad (9)$$

Step 4: Pairwise comparison

In this step, the SVNN of each criteria need to be compared to the other criteria to determine their relative importance. Here we introduce a formula to calculate the comparison values in the pairwise comparison matrix. Eq. (10) is proposed as no other formula are available in the existing literature for the purpose of calculating the comparison values in the comparison matrix using actual data.

$$a_{ij} = \frac{\theta_i - \theta_j + 1}{2} \quad (10)$$

where θ_i , θ_j and a_{ij} denotes the SVNN of the criteria i , SVNN of the criteria j and the SVNN in the comparison matrix, respectively.

The comparison values obtained are to be placed in a comparison matrix in the form given in Table 1.

Table 1: Comparison matrix

Criteria	θ_1	θ_2	...	θ_n
θ_1	$\frac{\theta_1 - \theta_1 + 1}{2}$	$\frac{\theta_1 - \theta_2 + 1}{2}$...	$\frac{\theta_1 - \theta_n + 1}{2}$
θ_2	$\frac{\theta_2 - \theta_1 + 1}{2}$	$\frac{\theta_2 - \theta_2 + 1}{2}$...	$\frac{\theta_2 - \theta_n + 1}{2}$
\vdots	\vdots	\vdots	...	\vdots
θ_n	$\frac{\theta_n - \theta_1 + 1}{2}$	$\frac{\theta_n - \theta_2 + 1}{2}$...	$\frac{\theta_n - \theta_n + 1}{2}$

Step 5: Consistency checking

The purpose of this step is to check the consistency of the matrix and determine the acceptability of the matrix.

Given a SVNS $A = (a_{ij})_{n \times n}$, where each a_{ij} represents a neutrosophic number (T_{ij}, I_{ij}, F_{ij}) and a consistency matrix $C = (c_{ij})_{n \times n} = (T'_{ij}, I'_{ij}, F'_{ij})_{n \times n}$. The procedure to determine the consistency is as outlined below.

(i) For $j > i + 1$,

$$T'_{ij} = \frac{j^{-i-1} \sqrt{T_{ik} \times T_{kj} \times T_{i(j-1)} \times T_{(j-1)j}}}{j^{-i-1} \sqrt{T_{ik} \times T_{kj} \times T_{i(j-1)} \times T_{(j-1)j}} + j^{-i-1} \sqrt{(1 - T_{ik}) \times (1 - T_{kj}) \times (1 - T_{i(j-1)}) \times (1 - T_{(j-1)j})}}$$

$$I'_{ij} = \frac{j^{-i-1} \sqrt{I_{ik} \times I_{kj} \times I_{i(j-1)} \times I_{(j-1)j}}}{j^{-i-1} \sqrt{I_{ik} \times I_{kj} \times I_{i(j-1)} \times I_{(j-1)j}} + j^{-i-1} \sqrt{(1 - I_{ik}) \times (1 - I_{kj}) \times (1 - I_{i(j-1)}) \times (1 - I_{(j-1)j})}}$$

$$F'_{ij} = \frac{j^{-i-1} \sqrt{F_{ik} \times F_{kj} \times F_{i(j-1)} \times F_{(j-1)j}}}{j^{-i-1} \sqrt{F_{ik} \times F_{kj} \times F_{i(j-1)} \times F_{(j-1)j}} + j^{-i-1} \sqrt{(1 - F_{ik}) \times (1 - F_{kj}) \times (1 - F_{i(j-1)}) \times (1 - F_{(j-1)j})}}$$

where $k = i + 1$.

- (ii) For $j = i + 1$, $c_{ij} = (T_{ij}, I_{ij}, F_{ij})$, where $k = i + 1$.
- (iii) For $j < i$, $c_{ij} = (F'_{ji}, 1 - I'_{ji}, T'_{ji})$, where $k = i + 1$.

By applying the above formula, the consistency index (CI) of the data will be obtained in the form of a matrix. The decision maker will then need to apply Eq. (11) to obtain the consistency ratio (CR):

$$CR = \frac{1}{2(n-1)(n-2)} \sum_{i=1}^n \sum_{j=1}^n (|T'_{ij} - T_{ij}| + |I'_{ij} - I_{ij}| + |F'_{ij} - F_{ij}|) \quad (11)$$

The matrix is said to be acceptable and can be further processed if the value of the CR is less than 0.1, otherwise, the data is considered inconsistent and requires reconstruction.

Remarks: This consistency checking step is done to examine the validity of the alternatives' preference when the comparison matrix is constructed. The consistency ratio tends to be large when the relative importance is determined by the subjective opinions of human experts and, as a result the comparison matrix tends to become inconsistent. As our proposed NDAHP method uses actual datasets to obtain the weightage and pairwise comparison values which is very objective, this consistency checking step is not necessary to be carried out.

Step 6: Compute relative weightage

After the consistency is checked, and found to be acceptable, the weightage of criteria is calculated. Since the weightage of the criteria are in the form SVNNs, some of the properties and concepts pertaining to SVNS given in Eqs. (12) to (16) need to be used. These formula are due to Radwan, Senousy and

Riad [25]; here A_1, A_2 denote SVNSs, and N denotes the number of alternatives or criteria.

$$(i) \quad A_1 + A_2 = (t_1 + t_2 - t_1 t_2, i_1 i_2, f_1 f_2) \quad (12)$$

$$(ii) \quad A_1 \times A_2 = (t_1 t_2, i_1 + i_2 - i_1 i_2, f_1 + f_2 - f_1 f_2) \quad (13)$$

$$(iii) \quad \frac{A_1}{A_2} = \left(\frac{t_1}{t_2}, \frac{i_1 - i_2}{1 - i_2}, \frac{f_1 - f_2}{1 - f_2} \right) \quad (14)$$

$$(iv) \quad A_1 \times N = (1 - (1 - t_1)^N, i_1^N, f_1^N) \quad (15)$$

$$(v) \quad \frac{A_1}{N} = \left(1 - (1 - t_1)^{\frac{1}{N}}, i_1^{\frac{1}{N}}, f_1^{\frac{1}{N}} \right) \quad (16)$$

These operations are going to be used in the computation of weightage for the criteria. A pairwise comparison matrix is constructed, and each of the element in the matrix is a SVNN. The procedure to obtain the weightage is as described below.

First, sum up the SVNN in the column using Eq. (12). The result of the summation of the SVNNs forms a new matrix of dimension $(1 \times n)$. Next, divide every element in the matrix by the corresponding element in matrix B using Eq. (15). As a result, a matrix A' of dimension $(n \times n)$ is formed. Lastly, the weightage is obtained by calculating the average value of the SVNNs that represent the different criteria row by row using Eq. (12) and Eq. (16).

Step 7: Obtain overall ranking

In this step, the decision maker needs to repeat step 3 to step 6 described above to calculate the weightage of the sub-criteria and alternatives. After the weightage of the criteria, sub-criteria and alternatives have been obtained, the overall weightage can be calculated. The concept of the method to obtain the overall weightage is the same as the method used to calculate the overall weightage in the AHP method. The procedure to obtain the overall weightage are shown in Table 2.

From Table 2, the notation θ_i denotes the weightage of criteria i while W_{X_i} denotes the weightage of alternative X with respect to criteria i . Note that the overall weightage obtained is in SVN form. Eq. (17) is then used to convert the SVN to crisp values.

$$S(A_j) = \frac{3 + t_j - 2i_j - f_j}{4} \quad (17)$$

where t_j, i_j and f_j denotes the truth, indeterminacy and falsity membership value for alternative A_j .

Table 2: Procedure to obtain the overall weightage

Criteria	Alternatives	Weightage A	Weightage B	Weightage C
θ_1	W_{A_1}	$\theta_1 W_{A_1}$	$\theta_1 W_{B_1}$	$\theta_1 W_{C_1}$
	W_{B_1}			
	W_{C_1}			
θ_2	W_{A_2}	$\theta_2 W_{A_2}$	$\theta_2 W_{B_2}$	$\theta_2 W_{C_2}$
	W_{B_2}			
	W_{C_2}			
θ_3	W_{A_3}	$\theta_3 W_{A_3}$	$\theta_3 W_{B_3}$	$\theta_3 W_{C_3}$
	W_{B_3}			
	W_{C_3}			
Total		$\sum_{i=1}^n \theta_i W_{A_i}$	$\sum_{i=1}^n \theta_i W_{B_i}$	$\sum_{i=1}^n \theta_i W_{C_i}$

Step 8: Determine overall ranking

At the end of step 7, a weightage is obtained for every alternative. At this final step, the decision maker has to arrange the weightage obtained for each alternative in descending order, and subsequently make a decision.

4. APPLICATION OF THE NDAHP METHOD IN A MCDM PROBLEM

In this section, the utility and practicality of our proposed NDAHP method are demonstrated by applying the NDAHP method to a MCDM problem related to the ranking of the financial performance of five selected petrochemical companies in Malaysia.

4.1 Ranking the financial performance of petrochemical companies in Malaysia

The performance of a company is measured using the financial indicators of the company, and this is an important factor that contributes to investor confidence and the performance of the company in the stock market. Here, we consider five public listed petrochemical companies that are

trading in the main board of the Kuala Lumpur Stock Exchange (KLSE). The companies are Hengyuan Refining Company Berhad (HENGYUAN), Petron Malaysia Refining and Marketing Berhad (PETRONM), Barakah Offshore Petroleum Berhad (BARAKAH), Sapura Energy Berhad (SAPURA) and Perdana Petroleum Berhad (PERDANA), and these companies form the set of alternatives for this problem. The objective of the study is to rank the five companies based on their financial performance in the year 2017. To examine this, 15 financial ratios and financial indicators for the five companies are considered. These are the sales growth, asset growth, shareholder’s equity growth, accounts receivable turnover, fixed assets turnover, equity turnover, total asset turnover, debt ratio, debt to equity ratio, ROA, ROE, net profit margin, current ratio, quick ratio and cash ratio, and these form the set of criteria for this problem. Actual datasets for the financial ratios for the financial year 2017 for these five companies were used in this study. These datasets were obtained from the official annual reports of the respective companies that were obtained from the Securities Commission of Malaysia and/or the official websites of the companies.

The above-mentioned datasets were applied to our proposed NDAHP method and the results obtained are as given in Table 3.

Table 3: Results obtained from our proposed NDAHP method

Petrochemical company	Weightage	Ranking
HENGYUAN	0.223344084	1
PETRONM	0.218360145	2
BARAKAH	0.186326396	3
SAPURA	0.186265568	4
PERDANA	0.185703807	5

4.2 Discussion of results

The consistency of the comparison between alternatives and criteria was examined and the average consistency ratio is 1.88494×10^{-16} which means that the comparison matrices will not be affected by the consistency and can be further processed.

Financial ratio is a useful tool for investors and analysts to evaluate the financial performance of a company. In this study, we propose the use of the NDAHP method to evaluate the financial performance of five petrochemical companies in the year 2017 by taking into consideration 15 financial ratios namely sales growth, asset growth,

shareholder’s equity growth, accounts receivable turnover, fixed asset turnover, equity turnover, total assets turnover, debt ratio, debt to equity ratio, ROA, ROE, net profit margin, current ratio, quick ratio and cash ratio.

The results obtained corroborates the actual results obtained from the Edge financial newspaper. In the following, we provide explanations to support our results. It was found that HENGYUAN has the best financial performance among the five petrochemical companies with a weightage of 0.223344084. HENGYUAN performed well in the growth ratios, liquidity ratios and profitability ratios components in the petrochemical sector. The net profit of HENGYUAN in the financial year 2017 is RM930 million, which is a triple of the RM335 million net profit recorded in the previous financial year. This was mainly contributed by the 38.47% growth in revenue of the company from RM8.37 billion in 2016 to RM11.58 billion in 2017. HENGYUAN also recorded a higher production output thanks to the higher level of plant reliability in 2017. Several major hurricane and fire incidents that happened in the US had caused a number of major refineries in the US and Netherlands to shut down, and this had eventually caused an increase in global product prices. This higher profit margins for the refining was fully capitalized by HENGYUAN.

PETRONM recorded the second best financial performance among the five selected petrochemical companies with a weightage of 0.218360145. PETRONM is good in managing the financial leverage ratio in which the debt to equity ratio was constantly maintained at below one. A low debt to equity ratio indicates that the assets in PETRONM was fund by their equities instead of debt. The increase in oil prices and sales volume had contributed a RM405.2 million net profit in the financial year 2017. The sales volume increased by 9% from 2016 to 2017 which was contributed by the high demand of aviation and industrial sector sales of their Turbo Diesel Euro 5 and Blaze 100 Euro 4M products.

BARAKAH had a net loss of RM217 million in financial year 2017 compared with a RM14.53 million net profit made in financial year 2016. The revenue was decreased a lot in the fourth quarter of financial year 2017 due to the cost overruns in their on-going projects. Besides these, BARAKAH also had a major financial concern as their loan of RM38.53 million taken in 2017 had to be settled within 12 months, and overall there was a RM71.83 million negative cash flow recorded. All in all, BARAKAH had a negative growth ratio and profitability ratio for 2017, and the company was incurring losses.

SAPURA suffered from financial problems which were mainly due to material uncertainties which meant that

the company was not confident enough to maintain its solvency. The current liabilities exceeded the current assets for the financial period ending June 30, 2017, and some major impairment needed to be made on their plants and equipment.

PERDANA was re-listed on the main board of the KLSE since the middle of August 2017. Their goal was to improve offshore support vessel (OSV) utilization rate in 2017, which was affected by decreasing oil prices in 2016, thus resulting in a low vessel utilization rate. This issue negatively impacted the financial performance of PERDANA, ad resulted in PERDANA having a negative growth ratio and profitability ratio. To improve on this situation and cut down on their recurring losses, PERDANA began having joint ventures with some major players in the petrochemical sector such as Petronas and Shell.

5. COMPARATIVE STUDIES

In this section, we present a brief but comprehensive comparative analysis of some of the recent works in this area and our proposed method. These recent approaches are applied to our case study related to the evaluation of financial performance of the five petrochemical companies done in Section 4.1. The existing methods that were chosen for this comparative studies are the neutrosophic Technique for Order Preference by Similarity to an Ideal Solution (NTOPSIS) by Biswas, Pramanik and Giri [43], neutrosophic correlation coefficient (NCC) by Ye [26], neutrosophic cross-entropy (NCE) by Pramanik et al. [49], neutrosophic Evaluation based on Distance from Average Solution (NEDAS) by Peng and Liu [31] and the improved single valued neutrosophic weighted averaging geometric aggregation operator (ISVNWAGAO) by Mandal and Basu [50]. These five methods will be applied to our case study and the results obtained will be compared to the results obtained from our proposed NDAH method in a bid to verify the effectiveness of our proposed MCDM method.

5.1 Comparison of results obtained through different methods

Table 4: The results obtained using different methods for the case study in Section 4.1

Method	The final ranking
NTOPSIS [43]	HENGYUAN ≻ PETRONM ≻ PERDANA ≻ BARAKAH ≻ SAPURA
NCC [26]	HENGYUAN ≻ PETRONM ≻ SAPURA ≻ BARAKAH ≻ PERDANA
NCE [49]	HENGYUAN ≻ PETRONM ≻ BARAKAH ≻ PERDANA ≻ SAPURA
NEDAS [31]	PETRONM ≻ HENGYUAN ≻ SAPURA ≻ PERDANA ≻ BARAKAH

ISVNWAGAO [50]	HENGYUAN ≧ PETRONM ≧ SAPURA ≧ BARAKAH ≧ PERDANA
Our proposed NDAHP method	HENGYUAN ≧ PETRONM ≧ BARAKAH ≧ SAPURA ≧ PERDANA
Actual ranking	HENGYUAN ≧ PETRONM ≧ BARAKAH ≧ SAPURA ≧ PERDANA

5.2 Discussion of results

From the results obtained in Table 4, it can be observed that different rankings and optimal alternatives were obtained from the different methods that were compared. These differences are due to a number of reasons which are summarized briefly below:

(i) In the NDAHP method, we use the hierarchical principal in which we compare the pairwise values between the criteria and between the alternatives. The criteria weights are needed to be determined to rank the alternatives. However, we use the distance principal for NEDAS method in which the distance is between the alternatives and the average solution. This is the reason for the difference in the results obtained via the NDAHP and NEDAS methods.

(ii) The NDAHP method provides the weightage of different criteria under different alternatives. For example, in our case study related to the ranking of the financial performance of five selected petrochemical companies, the NDAHP method provides the weightage of the different criteria for the companies HENGYUAN, PETRONM, BARAKAH, SAPURA and PERDANA. Decision makers can observe the comparative advantage of a company through the differences in the weightage of the different criteria. For examples, the weightage of sales growth under HENGYUAN is 0.20507543 which is much higher than the other companies, which makes it clear to the decision makers that HENGYUAN has the highest sales growth among the five petrochemical companies that are studied.

5.3 Further verification of results using Spearman’s rank and Pearson coefficient correlation

Correlation is an analysis that examine the strength of the relationship between two variables. A rank test can help users to examine how strong are the relationship between two variables. The result obtained from the rank test is range from between -1 to 1. A value of -1 indicates that the two variables are negatively correlated, i.e. for every increase in the first variable, there will a certain amount of decrease in the second variable. A value of 1 indicates that the two variables are positively correlated, i.e. for every increase in the first variable, there will be a certain amount of increase in the second variable. When the result obtained is 0, it means that there is no relationship between the two variables.

Here, the correlation between the results obtained from the decision making methods used in Table 4 and the actual ranking will be examined to determine how strong is the relationship between the result obtained by decision making method and the actual ranking. The rank test used here will be the Spearman’s rank correlation coefficient and Pearson correlation coefficient. The result of Spearman’s rank correlation coefficient is determined by using the ranking while the Pearson correlation coefficient is determined by using weightage or the value used to determine the ranking. The formula used to determine the correlation between the two variables are as given below:

i) Spearman’s rank correlation coefficient

$$\text{Correlation} = 1 - \frac{6 \sum_{i=1}^n d_i^2}{n(n^2 - 1)} \quad (18)$$

ii) Pearson correlation coefficient

$$\text{Correlation} = \frac{n \sum_{i=1}^n x_i y_i - \sum_{i=1}^n x_i \sum_{i=1}^n y_i}{\sqrt{n \sum_{i=1}^n x_i^2 - (\sum_{i=1}^n x_i)^2} \sqrt{n \sum_{i=1}^n y_i^2 - (\sum_{i=1}^n y_i)^2}} \quad (19)$$

The results obtained from the rank test are presented in Table 5.

Table 5: Correlation between the results of the ranking of financial performance

Ranking	Spearman’s rank correlation coefficient		Pearson correlation coefficient	
	1	1.0	NDAHP	0.922317
2	0.9	NCC	0.91458	ISVNWA GAO
3	0.9	NCE	0.906758	NDAHP
4	0.9	ISVNWA GAO	0.888549	NTOPSIS
5	0.7	NTOPSIS	0.556343	NEDAS
6	0.6	NEDAS	-0.88332	NCE

From the results obtained from Spearman’s rank correlation coefficient, it can be clearly seen that our proposed NDAHP method is perfectly correlated with the actual ranking while the NCC, NCE and ISVNWAGAO are slightly less correlated to the actual ranking compared to the NDAHP method, whereas the NTOPSIS and NEDAS methods have the worst correlation with the actual ranking.

From the results obtained from Pearson coefficient correlation, the results obtained from decision making

methods of NDAHP, NCC, ISVNWAGAO and NTOPSIS are strongly correlated with the actual ranking. However, the results obtained from the NEDAS method has a very low consistency with the actual ranking, whereas the results obtained from the NCE method is negatively correlated with the actual ranking with a Pearson correlation coefficient of -0.88332.

It is therefore clearly proven that our proposed NDAHP method is the approach that produces results that are most consistent with the actual ranking.

6. CONCLUSION AND REMARKS

The concluding remarks and the significant contributions that were made by the work in this paper are summarized below:

- (i) A novel AHP method for the single-valued neutrosophic set (SVNS) model called the neutrosophic data analytic hierarchy process (NDAHP) is introduced. Our proposed NDAHP method holds the distinction of being the only AHP based method in literature that is designed to handle actual datasets i.e. data in the form of crisp values. This makes it novel and more comprehensive compared to existing AHP methods in literature as these are only able to handle subjective information in the form of opinions collected from the users and decision makers based on their individual opinions and experiences.
- (ii) The NAHP method uses the opinions of experts to determine the relative importance of each criteria, whereas our proposed NDAHP method has a step incorporated into it which is able to convert the crisp values in actual datasets. Therefore, our proposed NDAHP method uses an objective weighting mechanism whereas all other existing versions of the AHP, fuzzy AHP and other fuzzy based AHP method in literature such as the NAHP and picture fuzzy AHP uses a subjective weighting method in the process of determining the weights of the criteria. Furthermore, the formula used in our method to convert the crisp values in the real-life datasets to single-valued neutrosophic numbers is also able to differentiate between the beneficial and non-beneficial criteria. This makes our proposed NDAHP method a very objective one as the weightage of the criteria and evaluation matrix are determined in an objective manner using the actual data collected for the problem, and hence will not change according to the opinions of the different decision makers which are subjective. This also makes it unnecessary to determine the consistency of the evaluation matrix as our method uses an objective weighting mechanism.
- (iii) Through thorough analysis using the Spearman's rank correlation coefficient and Pearson's correlation coefficient tests, we have proven that our proposed NDAHP method produces results that are consistent with the actual results.

This clearly indicates that our proposed method is not only an effective decision making algorithm but one that is also highly reliable and accurate.

Funding: This research was funded by the Ministry of Education, Malaysia under grant no. FRGS/1/2017/STG06/UCSI/03/1.

Acknowledgments: The authors would like to thank the Editor-in-Chief and the anonymous reviewers for their valuable comments and suggestions.

Conflicts of Interest: The authors declare that there is no conflict of interest.

REFERENCES

- [1] Zadeh, L.A. 1965. Fuzzy sets, *Information and Control*, 8, 338-353.
- [2] Atanassov, K.T. 1986. Intuitionistic fuzzy sets, *Fuzzy Sets and Systems*, 20(1), 87-96.
- [3] Gorzalczany, M.B. 1987. A method of inference in approximate reasoning based on interval-valued fuzzy sets, *Fuzzy Sets and Systems*, 21, 1-17.
- [4] Atanassov, K. & Gargov, G. 1989. Interval valued intuitionistic fuzzy sets, *Fuzzy Sets and Systems*, 31(3), 343-349.
- [5] Gau, W.L. & Buehrer, D.J. 1993. Vague sets, *IEEE Transactions on Systems, Man and Cybernetics*, 23(2), 610-614.
- [6] Smarandache, F. 1999. *A unifying field in logics, neutrosophy: Neutrosophic probability, set and logic*, American Research Press.
- [7] Torra, V. 2010. Hesitant fuzzy sets, *International Journal of Intelligent Systems*, 25(6), 529-539.
- [8] Cuong, B. C. 2014. Picture Fuzzy Sets. *Journal of Computer Science and Cybernetics*, 30(4), 409 - 420.
- [9] Wang, H., Smarandache, F., Zhang, Y.Q. & Sunderraman, R. 2010. Single valued neutrosophic sets, *Multispace Multistructure*, 4, 410-413.
- [10] Saaty, T. L. 1990. How to make a decision: the Analytic Hierarchy Process. *European Journal of Operational Research*, 48, 9-26.
- [11] Vargas, R.V. 2010. Using the analytic hierarchy process (AHP) to select and prioritize projects in a portfolio. North America, Washington, DC. Newtown Square: Project Management Institute.
- [12] Ishizaka, A. 2014. Comparison of fuzzy logic, AHP, FAHP and hybrid fuzzy AHP for new supplier selection and its performance analysis. *International Journal of Integrated Supply Management*, 9(1/2), 1-22.

- [13] Van Laarhoven, P. & Pedrycz, W. 1983. A fuzzy extension of Saaty's priority theory. *Fuzzy Sets and Systems*, 11(3), 199-227.
- [14] Nguyen, A.T., Nguyen, L.D., Le-Hoai, L. & Dang, C.N. 2015. Quantifying the complexity of transportation projects using the fuzzy analytic hierarchy process. *International Journal of Project Management*, 33(6), 1364-1376.
- [15] Ruiz-Padillo, A., Ruiz, D.P., Torija, A.J. & Ramos-Ridao, A. 2016. Selection of suitable alternatives to reduce the environmental impact of road traffic noise using a fuzzy multi-criteria decision model. *Environmental Impact Assessment Review*, 61, 8-18.
- [16] Calabrese, A., Costa, R., Levialdi, N. & Menichini, T. 2016. A fuzzy analytic hierarchy process method to support materiality assessment in sustainability reporting. *Journal of Cleaner Production*, 121, 248-264.
- [17] Xu, Z. & Liao, H. 2014. Intuitionistic fuzzy analytic hierarchy process. *IEEE Transactions on Fuzzy Systems*, 22(4), 749-761.
- [18] Abdullah, L., Jaafar, S. & Taib, I. 2013. Intuitionistic fuzzy analytic hierarchy process approach in ranking of human capital indicators. *Journal of Applied Sciences*, 13(3), 423-429.
- [19] Abdullah, L. & Najib, L. 2016. Sustainable energy planning decision using the intuitionistic fuzzy analytic hierarchy process: choosing energy technology in Malaysia. *International Journal of Sustainable Energy*, 35(4), 360-377.
- [20] Kaur, P. 2014. Selection of vendor based on intuitionistic fuzzy analytical hierarchy process, *Advances in Operations Research*, 2014, 1-10, <http://dx.doi.org/10.1155/2014/987690>.
- [21] Nguyen, H. 2016. An application of intuitionistic fuzzy analytic hierarchy process in ship system risk estimation. *Journal of KONES Powertrain and Transport*, 23(3), 365-372.
- [22] Mirzaei, E., Minatour, Y., Bonakdari, H. & Javadi, A. 2015. Application of interval-valued fuzzy analytic hierarchy process approach. *International Journal of Engineering*, 28(3), 387-395.
- [23] Abdullah, L. & Najib, L. 2016. A new preference scale MCDM method based on interval-valued intuitionistic fuzzy sets and the analytic hierarchy process. *Soft Computing*, 20(2), 511-523.
- [24] Fahmi, A., Derakhshan, A. & Kahraman, C. 2015. Human resources management using interval valued intuitionistic fuzzy analytic hierarchy process. *Proceedings of the 2015 IEEE International Conference on Fuzzy Systems (FUZZ-IEEE)*, 1-5.
- [25] Radwan, N.M., Senousy, M.B. & Riad, A.E.D.M. 2016. Neutrosophic AHP multi criteria decision making method applied on the selection of learning management system. *International Journal of Advancements in Computing Technology*, 8(5), 95 - 105.
- [26] Ye, J. 2013. Multicriteria decision-making method using the correlation coefficient under single-valued neutrosophic environment. *International Journal of General Systems* 42, 386-394.
- [27] Ye, J. 2014. Improved correlation coefficients of single valued neutrosophic sets and interval neutrosophic sets for multiple attribute decision making. *Journal of Intelligent Fuzzy System* 27, 2453-2462.
- [28] Ye, J. 2014. Clustering methods using distance-based similarity measures of single-valued neutrosophic sets. *Journal of Intelligent Systems*, 23, 379-389.
- [29] Ye, J. 2014. Multiple attribute group decision-making method with completely unknown weights based on similarity measures under single valued neutrosophic environment. *Journal of Intelligent and Fuzzy Systems*, 27, 2927-2935.
- [30] Huang, H.L. 2016. New distance measure of single-valued neutrosophic sets and its application. *International Journal of Intelligent Systems*, 31(10), 1021-1032.
- [31] Peng, X. & Liu, C. 2017. Algorithms for neutrosophic soft decision making based on EDAS, new similarity measure and level soft set. *Journal of Intelligent and Fuzzy Systems*, 32, 955-968.
- [32] Yang, H.L., Guo, Z.L., She, Y.H. & Liao, X.W. 2016. On single valued neutrosophic relations. *Journal of Intelligent and Fuzzy Systems*, 30, 1045-1056.
- [33] Broumi, S., Smarandache, F., Talea, M. & Bakali, A. 2016. Single valued neutrosophic graph: Degree, order and size, *Proceedings of the 2016 IEEE International Conference on Fuzzy Systems*, 2444-2451.
- [34] Broumi, S., Bakali, A., Talea, M. & Smarandache, F. 2016. Isolated single valued neutrosophic graphs. *Neutrosophic Sets and Systems*, 11, 74-78.
- [35] Broumi, S., Talea, M., Bakali, A. & Smarandache, F. 2016. Single valued neutrosophic graphs. *Journal of New Theory*, 10, 86-101.
- [36] Broumi, S., Smarandache, F., Talea, M. & Bakali, A. 2016. An introduction to bipolar single valued neutrosophic graph theory. *Applied Mechanics and Materials*, 841, 184-191.

- [37] Broumi, S., Talea, M., Bakali, A. & Smarandache, F. 2016. On bipolar single valued neutrosophic graphs. *Journal of New Theory*, 11, 84-102.
- [38] Hassan, A., Malik, M.A., Broumi, S., Bakali, A., Talea, M. & Smarandache, F. 2017. Special types of bipolar single valued neutrosophic graphs. *Annals of Fuzzy Mathematics and Informatics*, 14(1), 55-73.
- [39] Tian, Z.P. Wang, J., Zhang, H.Y. & Wang, J.Q. 2018. Multi-criteria decision-making based on generalized prioritized aggregation operators under simplified neutrosophic uncertain linguistic environment. *International Journal of Machine Learning and Cybernetics*, 9(3), 523-539.
- [40] Wu, X.H., Wang, J., Peng, J.J. & Chen, X.H. 2016. Cross-entropy and prioritized aggregation operator with simplified neutrosophic sets and their application in multi-criteria decision-making problems. *International Journal of Fuzzy Systems*, 18(6), 1104-1116.
- [41] Sahin, R. & Kucuk, A. 2015. Subsethood measure for single valued neutrosophic sets. *Journal of Intelligent and Fuzzy Systems*, 29(2), 525-530.
- [42] Ye, J. 2015. An extended TOPSIS method for multiple attribute group decision making based on single valued neutrosophic linguistic numbers. *Journal of Intelligent and Fuzzy Systems*, 28(1), 247-255.
- [43] Biswas, P., Pramanik, S. & Giri, B.C. 2016. TOPSIS method for multi-attribute group decision-making under single-valued neutrosophic environment. *Neural Computing and Applications*, 27(3), 727-737.
- [44] Selvachandran, G., Quek, S.G., Smarandache, F. & Broumi, S. 2018. An extended technique for order preference by similarity to an ideal solution (TOPSIS) with maximizing deviation method based on integrated weight measure for single-valued neutrosophic sets. *Symmetry*, 10(7), 236-252.
- [45] P. Majumdar & S.K. Samanta, On similarity and entropy of neutrosophic sets, *Journal of Intelligent and Fuzzy Systems*, 26(3) (2014) 1245-1252.
- [46] Abdel-Basset, M., Mohamed, M. & Smarandache, F. 2018. An extension of neutrosophic AHP-SWOT analysis for strategic planning and decision-making. *Symmetry*, 10(4), 116-133.
- [47] Alava, M. V., Figueroa, D., Alcivar, B. & Vazquez, M. L., 2018. Single valued neutrosophic numbers and analytic. *Neutrosophic Sets and Systems*, 21, 122 - 130.
- [48] Nirmal, N.P. & Bhatt, M.G. 2016. Selection of automated guided vehicle using single valued neutrosophic entropy based on novel multi attribute decision making technique. *New Trends in Neutrosophic Theory and Applications*, 105-114.
- [49] Pramanik, S., Dalapati, S., Alam, S., Smarandache, F. & Roy, T.K. 2018. NS-Cross Entropy-Based MAGDM under Single-Valued Neutrosophic Set Environment. *Information*, 9(2), 37-57.
- [50] Mandal, K. & Basu, K. 2016. Multi criteria decision making method in neutrosophic environment using a new aggregation operator, score and certainty function. *New Trends in Neutrosophic Theory and Applications*, 141-159.
- [51] Sudan Jha, Le Hoang Son, Raghvendra Kumar, Ishaani Priyadarshini, Florentin Smarandache, Hoang Viet Long (2019), "Neutrosophic Image Segmentation with Dice Coefficients", *Measurement*, 134, pp. 762-772.
- [52] Gia Nhu Nguyen, Le Hoang Son, Amira S. Ashour, Nilanjan Dey (2019), "A survey of the State-of-the-arts on Neutrosophic Sets in Biomedical Diagnoses", *International Journal of Machine Learning and Cybernetics*, 10(1), pp. 1-13.
- [53] Sudan Jha, Raghvendra Kumar, Le Hoang Son, Jyotir Moy Chatterjee, Manju Khari, Navneet Yadav, Florentin Smarandache (2019), "Neutrosophic soft set decision making for stock trending analysis", *Evolving Systems*, in press.
- [54] Tran Manh Tuan, Pham Minh Chuan, Mumtaz Ali, Tran Thi Ngan, Mamta Mittal, Le Hoang Son (2019), "Fuzzy and neutrosophic modeling for link prediction in social networks", *Evolving Systems*, in press.
- [55] Hoang Viet Long, Mumtaz Ali, Le Hoang Son, Mohsin Khan, Doan Ngoc Tu (2019), "A novel approach for Fuzzy Clustering based on Neutrosophic Association Matrix", *Computers & Industrial Engineering*, 127, pp. 687-697.
- [56] Nguyen Tho Thong, Luu Quoc Dat, Le Hoang Son, Nguyen Dinh Hoa, Mumtaz Ali, Florentin Smarandache (2019), "Dynamic Interval Valued Neutrosophic Set: Modeling Decision Making in Dynamic Environments", *Computers in Industry*, 108, pp. 45 - 52.
- [57] Sudan Jha, Raghvendra Kumar, Le Hoang Son, Francisco Chiclana, Vikram Puri, Ishaani Priyadarshini (2019), "Neutrosophic Approach for Enhancing Quality of Signals", *Multimedia Tools and Applications*, DOI = <http://dx.doi.org/10.1007/s11042-019-7375-0>.
- [58] Nguyen Thi Kim Son, Nguyen Phuong Dong, Le Hoang Son, Hoang Viet Long (2019), "Towards granular calculus of single-valued neutrosophic functions under granular computing", *Multimedia Tools and Applications*, DOI = <http://dx.doi.org/10.1007/s11042-019-7388-8>.
- [59] Luu Quoc Dat, Nguyen Tho Thong, Le Hoang Son, Mumtaz Ali, Florentin Smarandache, Mohamed Abdel-Basset, Hoang Viet Long (2019), "Linguistic Approaches to Interval Complex Neutrosophic Sets in Decision Making", *IEEE Access*, DOI = <http://dx.doi.org/10.1109/ACCESS.2019.2902841>.

- [60] Mumtaz Ali, Le Hoang Son, Mohsin Khan, Nguyen Thanh Tung (2018), "Segmentation of Dental X-ray Images in Medical Imaging using Neutrosophic Orthogonal Matrices", *Expert Systems With Applications*, 91, pp. 434-441
- [61] Mumtaz Ali, Luu Quoc Dat, Le Hoang Son, Florentin Smarandache (2018), "Interval Complex Neutrosophic Set: Formulation and Applications in Decision-Making", *International Journal of Fuzzy Systems*, 20(3), pp. 986 – 999.
- [62] Mumtaz Ali, Le Hoang Son, Nguyen Dang Thanh, Nguyen Van Minh (2018), "A Neutrosophic Recommender System for Medical Diagnosis Based on Algebraic Neutrosophic Measures", *Applied Soft Computing*, 71, pp. 1054-1071.
- [63] Mohsin Khan, Le Hoang Son, Mumtaz Ali, Hoang Thi Minh Chau, Nguyen Thi Nhu Na, Florentin Smarandache (2018), "Systematic Review of Decision Making Algorithms in Extended Neutrosophic Sets", *Symmetry-Basel*, 10, pp. 314–342.
- [64] Pu Ji ; Hong-Yu Zhang ; Jian-Qiang Wang A Fuzzy Decision Support Model With Sentiment Analysis for Items Comparison in e-Commerce: The Case Study of PConline.com, *IEEE Transactions on Systems, Man, and Cybernetics: Systems*. DOI: 10.1109/TSMC.2018.2875163
- [65] Ying-ying Li, Jian-qiang Wang, Tie-li Wang, A linguistic neutrosophic multi-criteria group decision-making approach with EDAS method, *Arabian Journal for Science and Engineering*, 44(3): 2737-2749
- [66] Pu Ji, Hong-yu Zhang, Jian-qiang Wang, Selecting an outsourcing provider based on the combined MABAC-ELECTRE method using single-valued neutrosophic linguistic sets, *Computers & Industrial Engineering*, 120: 429-441,2018
- [67] Pu Ji, Hong-yu Zhang & Jian-qiang Wang, Fuzzy decision-making framework for treatment selection based on the combined QUALIFLEX-TODIM method, *International Journal of Systems Science*,48(14):3072-3086
- [68] Jian Li, Jian-qiang Wang, Jun-hua Hu, Multi-criteria decision-making method based on dominance degree and BWM with probabilistic hesitant fuzzy information, *International Journal of Machine Learning and Cybernetics* , <https://doi.org/10.1007/s13042-018-0845-2>
- [69] S. M. Mousavi; H. Gitinavard ; A. Siadat, View All Authors A new hesitant fuzzy analytical hierarchy process method for decision-making problems under uncertainty." 2014 IEEE International Conference on Industrial Engineering and Engineering Management. IEEE, 2014.
- [70] H. Gitinavard; M. Akbarpour Shirazi, An extended intuitionistic fuzzy modified group complex proportional assessment approach." *Journal of Industrial and Systems Engineering* 11.3 (2018): 229-246
- [71] S. Ebrahimnejad, H. Gitinavard and S. Sohrabvandi, A New Extended Analytical Hierarchy Process Technique with Incomplete Interval-valued Information for Risk Assessment in IT Outsourcing." *International Journal of Engineering* 30.5 (2017): 739-748.
- [72] Hossein Gitinavard, Mir Saman Pishvaei , Fatemeh Jalalvand, A hierarchical multi-criteria group decision-making method based on TOPSIS and hesitant fuzzy information." *International Journal of Applied Decision Sciences* 10.3 (2017): 213-232