

See discussions, stats, and author profiles for this publication at: <https://www.researchgate.net/publication/370587356>

An Introduction to The Symbolic 3 -Plithogenic Vector Spaces

Article · January 2023

DOI: 10.54216/GJMSA.060101

CITATIONS

0

READS

7

2 authors, including:



Rozina Ali
Cairo University

54 PUBLICATIONS 90 CITATIONS

SEE PROFILE



An Introduction to The Symbolic 3-Plithogenic Vector Spaces

Rozina Ali, Zahraa Hasan

Cairo University, Cairo, Egypt

University Of Applied Science, Faculty of Literature and Science, Manama, Bahrain

Emails: rozyyy123n@gmail.com; Zahraamathscience1243@gmail.com

Abstract

The objective of this paper is to define and study for the first time the concept of symbolic 3-plithogenic vector spaces based on symbolic 3-plithogenic sets and classical vector spaces. Also, many related substructures will be defined and handled such as AH-functions, AH-spaces, and symbolic 3-plithogenic basis.

Keywords: 3-plithogenic symbolic set; 3-plithogenic vector space; 3-plithogenic dimension

1. Introduction

The concept of symbolic plithogenic sets was defined by Smarandache in [13-17, 30], and he suggested an algebraic approach of these sets. Laterally, the concept of symbolic 2-plithogenic rings [31], where the concepts such as symbolic AH-ideals, and AH-homomorphisms were presented and discussed. In [35-41] many algebraic structures about symbolic 2-plithogenic structures were studied such as number theory, algebraic equations, and symbolic 3-plithogenic rings.

In general, we can say that symbolic plithogenic structures are very close to neutrosophic algebraic structures with many differences in the definition of multiplication operation [1-10].

Let R be a ring, the symbolic 3-plithogenic ring is defined as follows:

$$3 - SP_R = \{a_0 + a_1P_1 + a_2P_2 + a_3P_3; a_i \in R, P_j^2 = P_j, P_i \times P_j = P_{\max(i,j)}\}.$$

Smarandache has defined algebraic operations on $3 - SP_R$ as follows:

Addition:

$$[a_0 + a_1P_1 + a_2P_2 + a_3P_3] + [b_0 + b_1P_1 + b_2P_2 + b_3P_3] = (a_0 + b_0) + (a_1 + b_1)P_1 + (a_2 + b_2)P_2 + (a_3 + b_3)P_3.$$

Multiplication:

$$[a_0 + a_1P_1 + a_2P_2 + a_3P_3] \cdot [b_0 + b_1P_1 + b_2P_2 + b_3P_3] = a_0b_0 + P_1[a_0b_1 + a_1b_0 + a_1b_1] + P_2[a_0b_2 + a_1b_2 + a_2b_2 + a_2b_0 + a_2b_1] + P_3[a_0b_3 + a_1b_3 + a_2b_3 + a_3b_3 + a_3b_0 + a_3b_1 + a_3b_2].$$

It is clear that $(3 - SP_R)$ is a ring.

If R is a field, then $3 - SP_R$ is called a symbolic 3-plithogenic field.

Main Discussion

Definition.

Let V be a vector space over the field F , let $3 - SP_F$ be the corresponding symbolic 3-plithogenic field.

$$3 - SP_F = \{x + yP_1 + zP_2 + tP_3; x, y, z, t \in F, P_i^2 = P_i, P_1P_2 = P_2P_1 = P_2\}.$$

We define the symbolic 3-plithogenic vector space as follows:

$$3 - SP_V = V + VP_1 + VP_2 + VP_3 = \{a + bP_1 + cP_2 + dP_3; a, b, c, d \in V\}.$$

Operations on $3 - SP_V$ can be defined as follows:

Addition: $(+): 3 - SP_V \rightarrow 3 - SP_V$, such that:

$$[x_0 + x_1P_1 + x_2P_2 + x_3P_3] + [y_0 + y_1P_1 + y_2P_2 + y_3P_3] = (x_0 + y_0) + (x_1 + y_1)P_1 + (x_2 + y_2)P_2 + (x_3 + y_3)P_3.$$

Multiplication: $(.) : 3 - SP_F \times 3 - SP_V \rightarrow 3 - SP_V$, such that:

$$[a + bP_1 + cP_2 + dP_3] \cdot [x_0 + x_1P_1 + x_2P_2 + x_3P_3] = ax_0 + (ax_1 + bx_0 + bx_1)P_1 + (ax_2 + bx_2 + cx_0 + cx_1 + cx_2)P_2 + (ax_3 + bx_3 + cx_3 + dx_0 + dx_1 + dx_2 + dx_3)P_3.$$

where $x_i, y_i \in V, a, b, c, d \in F$

Theorem.

Let $(3 - SP_V, +, \cdot)$ Is a module over the ring $3 - SP_F$.

Proof.

Let $X = x_0 + x_1P_1 + x_2P_2 + x_3P_3, Y = y_0 + y_1P_1 + y_2P_2 + y_3P_3 \in 3 - SP_V, A = a_0 + a_1P_1 + a_2P_2 + a_3P_3, B = b_0 + b_1P_1 + b_2P_2 + b_3P_3 \in 3 - SP_F$ we have:

$$1. X = X, (X + Y) + Z = X + (Y + Z), X + (-X) = -X + X = 0, X + 0 = 0 + X = X$$

Also

$$A(X + Y) = (a_0 + a_1P_1 + a_2P_2 + a_3P_3)[(x_0 + y_0) + (x_1 + y_1)P_1 + (x_2 + y_2)P_2 + (x_3 + y_3)P_3] = A \cdot X + A \cdot Y$$

$$(A + B)X = A \cdot X + B \cdot X$$

$$(A \cdot B) \cdot X = A \cdot (B \cdot X)$$

Example.

Let $V = R^3$ be the Euclidean space over the field $F = R$.

The corresponding symbolic 3-plithogenic vector space over $3 - SP_F$ is:

$$3 - SP_{R^3} = \{(x_0, y_0, z_0) + (x_1, y_1, z_1)P_1 + (x_2, y_2, z_2)P_2 + (x_3, y_3, z_3)P_3; x_i, y_i, z_i \in R\}$$

Definition.

Let $3 - SP_V$ be a symbolic 3-plithogenic vector space over $3 - SP_F$, let V_0, V_1, V_2, V_3 be the three subspaces of V , we define the AH-subspace as follows:

$$W = V_0 + V_1P_1 + V_2P_2 + V_3P_3 = \{x + yP_1 + zP_2 + tP_3; x \in V_0, y \in V_1, z \in V_2, t \in V_3\}$$

If $V_0 = V_1 = V_2 = V_3$, then W is called an AHS-subspace.

Example.

Consider $3 - SP_{R^3}$, we have $V_0 = \{(a, 0, 0); a \in R\}, V_1 = \{(0, b, 0); b \in R\}, V_2 = \{(0, 0, c); c \in R\}$ are three subspaces of $V = R^3$.

$W = V_0 + V_1P_1 + V_2P_2 + V_3P_3 = \{(a, 0, 0) + (0, b, 0)P_1 + (0, 0, c)P_2 + (0, 0, d)P_3; a, b, c, d \in R\}$ is an AH-subspace of $3 - SP_{R^3}$.

$T = V_1 + V_1P_1 + V_1P_2 + V_1P_3 = \{(0, a, 0) + (0, b, 0)P_1 + (0, c, 0)P_2 + (0, d, 0)P_3; a, b, c, d \in R\}$ is an AHS-subspace.

Theorem.

Let $3 - SP_V$ be a symbolic 3-plithogenic vector space over $3 - SP_F$, let W be an AHS-subspace of $3 - SP_V$, then W is a submodule of $3 - SP_V$.

Proof.

The proof is similar to the case of 2-plithogenic spaces.

Definition.

Let V, W be two vector spaces over the field F . Let $3 - SP_V, 3 - SP_W$ be the corresponding symbolic 3-plithogenic vector spaces over $3 - SP_F$.

Let $L_0, L_1, L_2, L_3: V \rightarrow W$ be three linear transformations, we define the AH-linear transformation as follows:

$$L: 3 - SP_V \rightarrow 3 - SP_W, L = L_0 + L_1P_1 + L_2P_2 + L_3P_3; L(x + yP_1 + zP_2 + dP_3) = L_0(x) + L_1(y)P_1 + L_2(z)P_2 + L_3(d)P_3.$$

If $L_0 = L_1 = L_2 = L_3$, then L is called AHS-linear transformation.

Definition.

Let $L = L_0 + L_1P_1 + L_2P_2 + L_3P_3: 3 - SP_V \rightarrow 3 - SP_W$ be an AH-linear transformation, we define:

1. $AH - ker(L) = ker(L_0) + ker(L_1)P_1 + ker(L_2)P_2 + ker(L_3)P_3 = \{x + yP_1 + zP_2 + dP_3; x \in ker(L_0), y \in ker(L_1), z \in ker(L_2), d \in ker(L_3)\}.$
2. $AH - Im(L) = Im(L_0) + Im(L_1)P_1 + Im(L_2)P_2 + Im(L_3)P_3 = \{a + bP_1 + cP_2 + dP_3; a \in Im(L_0), b \in Im(L_1), c \in Im(L_2), d \in Im(L_3)\}$

If L is AHS-linear transformation, then we get $AHS - kernel, AHS - Image$.

Theorem.

Let $L = L_0 + L_1P_1 + L_2P_2 + L_3P_3: 3 - SP_V \rightarrow 3 - SP_W$ be an AH-linear transformation, then:

1. $AH - ker(L)$ is AH-subspace of $3 - SP_V$.
2. $AH - Im(L)$ is AH-subspace of $3 - SP_W$.

Example.

Take $V = R^3, W = R^3, L_0, L_1, L_2: V \rightarrow W$ such that:

$$L_0(x, y, z) = (x, y), L_1(x, y, z) = (2x, z), L_2(x, y, z) = (x - y, y - z)$$

The corresponding AH-linear transformation is:

$$L = L_0 + L_1P_1 + L_2P_2 + L_2P_3: 3 - SP_{R^3} \rightarrow 3 - SP_{R^2}:$$

$$\begin{aligned} L[(x_0, y_0, z_0) + (x_1, y_1, z_1)P_1 + (x_2, y_2, z_2)P_2 + (x_3, y_3, z_3)P_3] \\ = L_0(x_0, y_0, z_0) + L_1(x_1, y_1, z_1)P_1 + L_2(x_2, y_2, z_2)P_2 + L_2(x_3, y_3, z_3)P_3 \\ = (x_0, y_0) + (2x_1, z_1)P_1 + (x_2 - y_2, y_2 - z_2)P_2 + (x_3 - y_3, y_3 - z_3)P_3 \end{aligned}$$

$$\left\{ \begin{aligned} \ker(L_0) &= \{(0, 0, z_0); z_0 \in R\} \\ \ker(L_1) &= \{(0, y_1, 0); y_1 \in R\} \\ \ker(L_2) &= \{(x_2, x_2, x_2); x_2 \in R\} \\ AH - \ker(L) &= \{(0, 0, z_0) + (0, y_1, 0)P_1 + (x_2, x_2, x_2)P_2 + (x_3, x_3, x_3)P_3; z_0, y_1, x_2, x_3 \in R\} \end{aligned} \right.$$

Also,

$$\left\{ \begin{aligned} Im(L_0) &= R^2 \\ Im(L_1) &= R^2 \\ Im(L_2) &= R^2 \\ AH - Im(L) &= R^2 + R^2P_1 + R^2P_2 + R^2P_3 = 3 - SP_W \end{aligned} \right.$$

3. Conclusion

In this paper we have defined the concept of symbolic 3-plithogenic vector spaces over a symbolic 3-plithogenic field, where we have presented some of their elementary properties such as basis, linear transformations, and AH-subspaces. On the other hand, we have suggested many examples to clarify the validity of our work.

References

- [1] Abobala, M., "AH-Subspaces in Neutrosophic Vector Spaces", International Journal of Neutrosophic Science, Vol. 6 , pp. 80-86. 2020.
- [2] Abobala, M., "A Study of AH-Substructures in n -Refined Neutrosophic Vector Spaces", International Journal of Neutrosophic Science", Vol. 9, pp.74-85. 2020.
- [3] Abobala, M., Hatip, A., Bal,M., " A Study Of Some Neutrosophic Clean Rings", International journal of neutrosophic science, 2022.
- [4] Abobala, M., Bal, M., Aswad, M., "A Short Note On Some Novel Applications of Semi Module Homomorphisms", International journal of neutrosophic science, 2022.
- [5] Celik, M., and Hatip, A., " On The Refined AH-Isometry And Its Applications In Refined Neutrosophic Surfaces", Galoitica Journal Of Mathematical Structures And Applications, 2022.
- [6] Adeleke, E.O., Agboola, A.A.A.,and Smarandache, F., "Refined Neutrosophic Rings I", International Journal of Neutrosophic Science, Vol. 2(2), pp. 77-81. 2020.
- [7] M. Ibrahim. A. Agboola, B.Badmus and S. Akinleye. On refined Neutrosophic Vector Spaces . International Journal of Neutrosophic Science, Vol. 7, 2020, pp. 97-109.
- [8] Von Shtawzen, O., " On A Novel Group Derived From A Generalization Of Integer Exponents and Open Problems", Galoitica journal Of Mathematical Structures and Applications, Vol 1, 2022.
- [9] Hatip, A., "An Introduction To Weak Fuzzy Complex Numbers ", Galoitica Journal Of Mathematical Structures and Applications, Vol.3, 2023.
- [10] Merkepçi, H., and Ahmad, K., " On The Conditions Of Imperfect Neutrosophic Duplets and Imperfect Neutrosophic Triplets", Galoitica Journal Of Mathematical Structures And Applications, Vol.2, 2022.
- [11] Abobala, M., "On Some Algebraic Properties of n -Refined Neutrosophic Elements and n -Refined Neutrosophic Linear Equations", Mathematical Problems in Engineering, Hindawi, 2021
- [12] Abobala, M., and Zeina, M.B., " A Study Of Neutrosophic Real Analysis By Using One Dimensional Geometric AH-Isometry", Galoitica Journal Of Mathematical Structures And Applications, Vol.3, 2023.
- [13] F. Smarandache, Neutrosophic Quadruple Numbers, Refined Neutrosophic Quadruple Numbers, Absorbance Law, and the Multiplication of Neutrosophic Quadruple Numbers. In *Symbolic Neutrosophic Theory*, Chapter 7, pages 186-193, Europa Nova, Brussels, Belgium, 2015.
- [14] F. Smarandache, Plithogeny, Plithogenic Set, Logic, Probability, and Statistics, 141 pages, Pons Editions, Brussels, Belgium, 2017. arXiv.org (Cornell University), Computer Science - Artificial Intelligence, 03Bxx:
- [15] Florentin Smarandache, Physical Plithogenic Set, 71st Annual Gaseous Electronics Conference, Session LW1, Oregon Convention Center Room, Portland, Oregon, USA, November 5–9, 2018.
- [16] Florentin Smarandache: Plithogenic Set, an Extension of Crisp, Fuzzy, Intuitionistic Fuzzy, and Neutrosophic Sets – Revisited, *Neutrosophic Sets and Systems*, vol. 21, 2018, pp. 153-166.
- [17] Florentin Smarandache, Plithogenic Algebraic Structures. Chapter in "Nidus idearum Scilogs, V: joining the dots" (third version), Pons Publishing Brussels, pp. 123-125, 2019.

- [18] P. K. Singh, Data with Turiyam Set for fourth dimension Quantum Information Processing. *Journal of Neutrosophic and Fuzzy Systems*, Vol. 1, Issue 1, pp. 9-23, 2021.
- [19] Khaldi, A., " A Study On Split-Complex Vector Spaces", *Neoma Journal Of Mathematics and Computer Science*, 2023.
- [20] Ahmad, K., " On Some Split-Complex Diophantine Equations", *Neoma Journal Of Mathematics and Computer Science*, 2023.
- [21]. Ali, R., " On The Weak Fuzzy Complex Inner Products On Weak Fuzzy Complex Vector Spaces", *Neoma Journal Of Mathematics and Computer Science*, 2023.
- [22] A. Alrida Basher, Katy D. Ahmad, Rosina Ali, An Introduction to the Symbolic Turiyam Groups and AH-Substructures,,*Journal of Neutrosophic and Fuzzy Systems*, Vol. 03, No. 02, pp. 43-52, 2022.
- [23] Agboola, A.A.A., "On Refined Neutrosophic Algebraic Structures," *Neutrosophic Sets and Systems*, Vol.10, pp. 99-101. 2015.
- [24] T.Chalapathi and L. Madhavi,. "Neutrosophic Boolean Rings", *Neutrosophic Sets and Systems*, Vol. 33, pp. 57-66, 2020.
- [25] G. Shahzadi, M. Akram and A. B. Saeid, "An Application of Single-Valued Neutrosophic Sets in Medical Diagnosis," *Neutrosophic Sets and Systems*, vol. 18, pp. 80-88, 2017.
- [26] Sarkis, M., " On The Solutions Of Fermat's Diophantine Equation In 3-refined Neutrosophic Ring of Integers", *Neoma Journal of Mathematics and Computer Science*, 2023.
- [27] J. Anuradha and V. S, "Neutrosophic Fuzzy Hierarchical Clustering for Dengue Analysis in Sri Lanka," *Neutrosophic Sets and Systems*, vol. 31, pp. 179-199, 2020.
- [28] Celik, M., and Olgun, N., " An Introduction To Neutrosophic Real Banach And Hillbert Spaces", *Galoitica Journal Of Mathematical Structures And Applications*, 2022.
- [29] Celik, M., and Olgun, N., " On The Classification Of Neutrosophic Complex Inner Product Spaces", *Galoitica Journal Of Mathematical Structures And Applications*, 2022.
- [30] Smarandache, F., " Introduction to the Symbolic Plithogenic Algebraic Structures (revisited)", *Neutrosophic Sets and Systems*, vol. 53, 2023.
- [31] Merkepçi, H., and Abobala, M., " On The Symbolic 2-Plithogenic Rings", *International Journal of Neutrosophic Science*, 2023.
- [32] Abobala, M., and Hatip, A., "An Algebraic Approach To Neutrosophic Euclidean Geometry", *Neutrosophic Sets and Systems*, Vol. 43, 2021.
- [33] Abobala, M., "On Some Algebraic Properties of n-Refined Neutrosophic Elements and n-Refined Neutrosophic Linear Equations", *Mathematical Problems in Engineering*, Hindawi, 2021
- [34] Agboola, A.A.A., Akinola, A.D., and Oyebola, O.Y., " Neutrosophic Rings I" , *International J.Mathcombin*, Vol 4, pp 1-14. 2011
- [35] Taffach, N., " An Introduction to Symbolic 2-Plithogenic Vector Spaces Generated from The Fusion of Symbolic Plithogenic Sets and Vector Spaces", *Neutrosophic Sets and Systems*, Vol 54, 2023.
- [36] Taffach, N., and Ben Othman, K., " An Introduction to Symbolic 2-Plithogenic Modules Over Symbolic 2-Plithogenic Rings", *Neutrosophic Sets and Systems*, Vol 54, 2023.
- [37] Khaldi, A., Ben Othman, K., Von Shtawzen, O., Ali, R., and Mosa, S., " On Some Algorithms for Solving Different Types of Symbolic 2-Plithogenic Algebraic Equations", *Neutrosophic Sets and Systems*, Vol 54, 2023.
- [38] Merkepçi, H., and Rawashdeh, A., " On The Symbolic 2-Plithogenic Number Theory and Integers ", *Neutrosophic Sets and Systems*, Vol 54, 2023.
- [39] Albashier, O., Hajjari, A., and Dalla, R., " On The Symbolic 3-Plithogenic Rings and Their Algebraic Properties", *Neutrosophic Sets and Systems*, Vol 54, 2023.

[40] Rawashdeh, A., "An Introduction To The Symbolic 3-plithogenic Number Theory", Neoma Journal Of Mathematics and Computer Science, 2023.

[41] Ben Othman, K., "On Some Algorithms For Solving Symbolic 3-Plithogenic Equations", Neoma Journal Of Mathematics and Computer Science, 2023.